

“Creating A Cleaner World”

through



**JUBILEE**

Environmental Products, LLC

406 S. Boulder, Suite 820  
Tulsa, OK 74103  
918-587-3948 (P)  
918-295-9903 (F)  
www.jep14.com

# JEP-14

## EMULSION DEGREASER/CLEANER

### PATENTED DESIGN FEATURES

- **Positively Emulsifies Oily Soil** — Saves Time and Labor
- **Contains No Solvents or Caustic** — Safer to Use
- **Works on Any Oily Soil** — Simplifies Training
- **Contains Corrosion Inhibitors** — Use in Autoscrubbers and Prevents Flash Rusting

### PROFESSIONAL RECOMMENDATIONS

- Use this product regularly for best results
- **NOT** recommended for removal of baked-on or dried, hardened soils
- Use "grit" type brushes on autoscrubber to enhance cleaning on unfinished concrete and other industrial floors
- Overlap cleaning passes to assure uniform cleaning and "double scrub" when heavy soil is present
- When mop cleaning, change cleaning solution frequently to get peak performance
- **DO NOT** let mop rest in cleaning solution between uses

### SURFACE SAFETY

- Safe on most surfaces found in industrial settings
- Before cleaning aluminum, brass, copper or other non-ferrous metals, check for safety. If metal bubbles or darkens when concentrate is applied, **DO NOT** use this product on that surface
- **NOT** recommended on glass



### SPECIFICATIONS

**Appearance:** Clear, pink liquid

**Odor:** None

**Density (lbs/gal)(±0.1 @20°C):** 8.65

**pH (Conc./1%)(±0.5@20°C):** 11.6

**Refractive index (±.0020@20°C):** 1.3470

**Hard water tolerance (as ppm CaCO<sub>3</sub>):** >5000 ppm

**Flashpoint (TCC):** None

**USDA rating:** A-1

**Foam generation:** Moderate

**Stability (40°-120°F):** Stable


**Freeze/thaw stability:** OK, 3 cycles

**Shelf life (closed containers, 40°-120°F):** 1 year minimum

### DIRECTIONS



Wear safety equipment recommended on MSDS. Read all directions and cautions prior to beginning work. Remove loose soil and garbage. Divide floor into workable sections.



Dilute **JEP-14** with water as follows:  
Heavy soil: 5:1 (26 oz. per gallon)  
Moderate soil: 20:1 (6 oz. per gallon)  
Light cleaning: 50:1 (2.5 oz. per gallon).



Apply to surface liberally while scrubbing. Allow to work. If soil is heavy, double scrub with an autoscrubber (First pass, squeegee up; second pass, squeegee down, vac on). Pick up as much solution as possible. If possible, allow floor to dry before traffic resumes on cleaned area.



Wear safety equipment recommended on MSDS, place wet floor signs and read all directions and cautions prior to beginning work.